Safety Data Sheet Aviation Liferafts

SECTIO	NI - PRODUCT ANI	D COMPANY IDE	NTIFICATION	
PRODUCT NAME	Liferaft, Self Inflating, Aviation Type			
TRADE NAMES/SYNONYMS				
	Model No.	Part No.	Model No.	Part No.
	Aero Compact 2	45-AC2()	Aero Elite 4	45-AE4()
	Aero Compact 4	45-AC4()	Aero Elite 6	45-AE6()
	Aero Compact 6	45-AC6()	Aero Elite 8	45-AE8()
PRODUCT USES	Inflatable liferaft for emergency use on private, non-commercial aircraft.			
MANUFACTURER'S NAME Street Address: City State/Province Postal Code Emergency Telephone Number	Revere Survival Inc. 5323 Highway Ave. Jacksonville Florida, USA 32254 (INFOTRAC) Within USA/Canada 1-800-535-5053; International 1-352-323-3500			
SUPPLIER'S NAME Street Address: City State/Province Postal Code Emergency Telephone Number	Same as manufactu	rer listed above.		

SECTION II - COMPOSITION / INFORMATION ON INGREDIENTS				
HAZARDOUS INGREDIENTS	% (by weight)	CAS Number	LD ₅₀	LC ₅₀
Not Applicable (N/A)				

Hazardous mixtures of other liquids, solids, or gases:

- 1.- Carbon Dioxide, Compressed, CAS# 124-38-9, UN1013
- 2.- Nitrogen, Compressed, CAS# 7727-37-9, UN1066
- 3.- Pyrotechnic Signaling Device (flares) including: Signal Devices, Hand, UN0191, 1.4G Cartridges, Signal, UN0312, 1.4G

SECTION III – HAZARDS IDENTIFICATION

Liferaft contains a steel or aluminum cylinder of gas under pressure which may discharge or rupture under extreme temperatures. Aero Elite and Aero Compact liferafts with attached kits contain pyrotechnic signaling devices (flares) that are explosive. Flares will burn with intense heat when exposed to fire. Keep away from flame or flame producing sources. Hazards from pyrotechnics do not apply to Aero Compact rafts without kits (P/N 45-AC2V, 45-AC2VP, 45-AC4VP)

Safety Data Sheet Aviation Liferafts

		SECTION IV - FIRST	AID MEASURES			
SKIN CONTACT	N/A					
EYE CONTACT	N/A					
INHALATION	N/A					
INGESTION	N/A					
In general, liferafts p	resent no	hazards that would require first ai	d measures.			
		SECTION V - FIRE FIGH	HTING MEASURES			
Flammable: □ No	⊠ Yes -	identify under which conditions	Liferaft contains pyrotechnic signaling devices (flares) that are explosive. Flares will burn with intense heat when exposed to fire.			
Means of Extinction	n		Large volumes of water			
Special Fire Fightin	ng Proced	lures:	Pyrotechnic signaling device (flares) may include material that contains its own oxygen to maintain burning. Do not try to smother or use dry chemical.			
Flashpoint (°C) and	Method		N/A			
Upper Flammable L	₋imit (% b	y volume)	N/A			
Lower Flammable I	Limit (% b	y volume)	N/A			
Autoignition Tempe	erature (°	C)	Auto Ignition > 175 °C (350 °F)			
Explosion Data - Se	ensitivity	to Impact	N/A			
Explosion Data - Se	ensitivity	to Static Discharge	N/A			
Hazardous Combustion Products		ducts	May form harmful fumes under fire conditions. Use airventilated full mask and full protective clothing when fighting fires.			
		SECTION VI - ACCIDENTAL	RELEASE MEASURES			
Leak and Spill Prod	d Spill Procedures Hazardous materials are contained in sealed units within packed liferaft. Spills should pose no threat if the sealed units are not breached. If compressed gas cylinder ruptures, ventilate area. If pyrotechnic signaling device ruptures, material spilled from unit should be swept away and burned by trained personnel. Ignition sources must be avoided. Handle materials with care.					
		SECTION VII - HANDLI	NG AND STORAGE			
Do not drop the packed liferaft. Do not pull the inflation lanyard (painter line) on the raft. Only lift the packed raft by its handles if packed in a fabric valise. If raft is pacting a hard container, lift from bottom. Opening the raft valise or hard container may cause the raft to inflate. Liferaft can cause injury if inflated close to people or in a confined area. The liferaft's compressed gas cylinder is equipped with a pressure redevice. The device will vent gas from the cylinder if stored at temperatures above 130°F. The raft may partially or fully inflate if the pressure relief device activates. Prolonged exposure to moisture may cause the water activated light on some rafts discharge and give off a non-hazardous "rotten egg" smell. Fully ventilate the area.			its handles if packed in a fabric valise. If raft is packed om. Opening the raft valise or hard container may can cause injury if inflated close to people or in a pressed gas cylinder is equipped with a pressure relief from the cylinder if stored at temperatures above fully inflate if the pressure relief device activates. may cause the water activated light on some rafts to			
Storage Requireme	These units should be stored in a cool, dry area away from danger of sparks, heat or flame.					

Safety Data Sheet Aviation Liferafts

SECTION VIII – EXPOSURE CONTROLS, PERSONAL PROTECTION					
Exposure Limits: ACGIH TLV	SHA PEL	☐ Other (specify)	N/A		
Engineering Controls (specific)	N/A				
Personal Protective Equipment: (if checked, specify type) N/A	Gloves □ F	Respirator ☐ Eye	☐ Footware	☐ Clothing	☐ Other
SECTION IX	- PHYSIC	CAL AND CHEMIC	CAL PROPE	RTIES	
Physical State	N/A				
Odor and Appearance	N/A				
Odor Threshold (ppm)	N/A				
Specific Gravity	N/A				
Vapor Density (air=1)	N/A				
Vapor Pressure (mmHg)	N/A				
Evaporation Rate	N/A				
Boiling Point (°C)	N/A				
Freezing Point (°C)	N/A				
pH	N/A				
Coefficient of Water/Oil Distribution	N/A				
Solubility in Water	N/A				
SECT	TION X - S	STABILITY AND R	EACTIVITY		
Chemical Stability: ⊠ Yes ☐ No - lo		er which conditions			
Stable under normal temperatures and conditions.					
Incompatibility with other substances: □ No □ Yes - Identify which ones N/A					
Reactivity, and under what conditions? N/A					
Hazardous Decomposition Products					
May form harmful fumes under fire conditi					
SECT	ION XI- T	OXICOLOGY INF	ORMATION		
Effects of Acute Exposure	N/A				
Effects of Chronic Exposure	N/A				
Irritancy of Product	N/A				
Respiratory Sensitization	N/A				
Carcinogenicity – IARC	N/A				
Carcinogenicity – ACGIH	N/A				
Reproductive toxicity	N/A				
Teratogenicity	N/A				
Embryotoxicity	N/A				
Mutagenicity	N/A				
Name of synergistic products/effects	N/A				

Safety Data Sheet Aviation Liferafts

SECTION XII – ECOLOGICAL INFORMATION						
Aquatic 1	Гохісіty	icity N/A				
SECTION XIII – DISPOSAL CONSIDERATIONS						
Waste Di	Disposal Incineration is the preferred method of disposal of pyrotechnic materials. Any compressed gas released will dissipate into the atmosphere and leave no hazardous waste. Other solid portions of the liferaft may be disposed of as domestic waste in accordance with local laws and regulations.					
			SECTION XIV – TRANSPORT INFORMATION			
Special Shipping Information Classified according to DOT, ADR, IMDG, and IATA: UN2990 Class 9 Proper shipping name: Life Saving Appliance, Self Inflating			UN2990 Class 9			
DOT	See Above and 49CR172.101 and 49CFR173.219					
IMO	See Above					
IATA	See Above					
SECTION XV – REGULATORY INFORMATION						
OSHA	As required by US federal regulations.					
SERA	N/A					
TSCA	N/A					

SECTION XVI– OTHER INFORMATION

Disclaimer Liability: Since conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. The information contained in this MSDS is believed to be true and accurate. All statements or suggestions are made without warranty, express of implied, regarding the accuracy of the information, the hazards connected with the use of the product, or the results to be obtained from the use thereof. Compliance with all federal, state, and local laws and regulations remains the responsibility of the user.

User Responsiblity: This MSDS cannot cover all possible situations which the distributor, retailer, or end user may experience during transport, storage, processing, or use. The user should examine each aspect of his operation and determine if additional precautions should be taken. All health and safety information contained in this MSDS should be provided to the user's employees or customers. It is the user's responsibility to use this information to develop appropriate work practice guidelines and employee training programs for his operation.