According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Version	Revision Date:	SDS Number:	Date of last issue: 07.10.2022
1.6	30.08.2023	800010027528	Print Date 17.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: AeroShell Oil W 100 Plus
Product code	: 001G0145

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Mineral lubricating oil for aircraft piston engines., For further details consult the AeroShell Book on www.shell.com/aviation.
Uses advised against	: This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the sup- plier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	 Shell UK Oil Products Limited Shell Centre London SE1 7NA United Kingdom
Telephone Telefax Contact for Safety Data Sheet	 : (+44) 08007318888 : If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com

1.4 Emergency telephone number

: +44 (0) 20 7934 7778 (This telephone number is available 24 hours per day, 7 days per week)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Safety data sheet available on request.

Hazard pictograms	:	No Hazard Symbol required
Signal word	:	No signal word

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Version 1.6	Revision Date: 30.08.2023		SDS Number: 800010027528	Date of last issue: 07.10.2022 Print Date 17.11.2023
Hazar	d statements	:	Not classif criteria. HEALTH I Not classif ENVIRON	L HAZARDS: ied as a physical hazard according to CLP HAZARDS: ied as a health hazard under CLP criteria. MENTAL HAZARDS: ied as environmental hazard according to
Preca	utionary statements	:	Prevention: No precau	tionary phrases.
			Response: No precau	tionary phrases.
			Storage: No precau	tionary phrases.
			Disposal: No precau	tionary phrases.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities. Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

	Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. Classification based on DMSO extract content < 3% (Regula- tion (EC) 1272/2008, Annex VI, Part 3, Note L).
--	--

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Version	Revision Date:	SDS Number:
1.6	30.08.2023	800010027528

Date of last issue: 07.10.2022 Print Date 17.11.2023

	Index-No. Registration number		
Alkylated phenol ester	125643-61-0 406-040-9 607-530-00-7	Aquatic Chronic 4; H413	1 - 5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measu	res
Protection of first-aiders	: When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	: Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	 Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.
If swallowed	: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
4.2 Most important symptoms and	d effects, both acute and delayed
Symptoms	: Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.
4.3 Indication of any immediate m	nedical attention and special treatment needed
Treatment	: Notes to doctor/physician: Treat symptomatically.
SECTION 5: Firefighting meas	ures
5.1 Extinguishing media	

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox
		ide, sand or earth may be used for small fires only.

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Vers 1.6	sion	Revision Date: 30.08.2023	-	0S Number: 0010027528	Date of last issue: 07.10.2022 Print Date 17.11.2023
	Unsuita media	able extinguishing	:	Do not use water	in a jet.
5.2	Special	hazards arising from	the	substance or mi	xture
Specific hazards during fire- fighting : Hazardous combustion products may include: A complex mixture of airborne solid and liquid pa gases (smoke). Carbon monoxide may be evolved if incomplete occurs. Unidentified organic and inorganic compounds.				e of airborne solid and liquid particulates and may be evolved if incomplete combustion	
5.3	Advice	for firefighters			
	Specia for firef	l protective equipment ighters	:	gloves are to be v large contact with Breathing Appara a confined space.	equipment including chemical resistant vorn; chemical resistant suit is indicated if spilled product is expected. Self-Contained tus must be worn when approaching a fire in Select fire fighter's clothing approved to Is (e.g. Europe: EN469).
	Specifi ods	c extinguishing meth-	:		measures that are appropriate to local cir- the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. 6.1.2 For emergency responders: Avoid contact with skin and eyes.	Personal precautions	:	v , ,	
---	----------------------	---	--------------	--

6.2 Environmental precautions

Environmental precautions	:	Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
		Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.
-------------------------	---	--

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Version	Revision Date:	SDS Number:	Date of last issue: 07.10
1.6	30.08.2023	800010027528	Print Date 17.11.2023

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

07.10.2022

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.
Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Hygiene measures	:	Exposure to this product should be reduced as low as reason- ably practicable. Reference should be made to the Health and Safety Executive's publication "COSHH Essentials".
7.2 Conditions for safe storage, ir	ncl	uding any incompatibilities
Further information on stor- age stability	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. Store at ambient temperature.
		Refer to section 15 for any additional specific legislation cov- ering the packaging and storage of this product. The storage of this product may be subject to the Control of Pollution (Oil Storage) (England) Regulations. Further guid- ance may be obtained from the local environmental agency office.
Packaging material	:	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
Container Advice	:	Polyethylene containers should not be exposed to high tem- peratures because of possible risk of distortion.
7.3 Specific end use(s)		
Specific use(s)	:	Not applicable

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Version	Revision Date:	SDS Number:	Date of last issue: 07.10.2022
1.6	30.08.2023	800010027528	Print Date 17.11.2023

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral	Not As- signed	TWA (inhalable fraction)	5 mg/m3	US. ACGIH Threshold Limit Values
Oil mist, mineral		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

Biological occupational exposure limits

8.2 Exposure controls

Engineering measures

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection	:	If material is handled such that it could be splashed into eyes,
		protective eyewear is recommended.
		Approved to EU Standard EN166.

Hand protection

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Version 1.6	Revision Date: 30.08.2023	SDS Number: 800010027528	Date of last issue: 07.10.2022 Print Date 17.11.2023
F	Remarks	gloves approve US: F739) mad suitable chemin gloves Suitabil usage, e.g. free sistance of glov glove suppliers Personal hygie Gloves must of gloves, hands cation of a non For continuous through time of 480 minutes w short-term/spla recognize that may not be ava time maybe ac and replaceme a good predicto dependent on t	antact with the product may occur the use of ed to relevant standards (e.g. Europe: EN374, le from the following materials may provide cal protection. PVC, neoprene or nitrile rubber ty and durability of a glove is dependent on quency and duration of contact, chemical re- ve material, dexterity. Always seek advice from . Contaminated gloves should be replaced. ne is a key element of effective hand care. hy be worn on clean hands. After using should be washed and dried thoroughly. Appli- perfumed moisturizer is recommended. contact we recommend gloves with break- more than 240 minutes with preference for > here suitable gloves can be identified. For sh protection we recommend the same but suitable gloves offering this level of protection allable and in this case a lower breakthrough ceptable so long as appropriate maintenance nt regimes are followed. Glove thickness is not or of glove resistance to a chemical as it is he exact composition of the glove material. s should be typically greater than 0.35 mm he glove make and model.
Skin	and body protection	work clothes.	is not ordinarily required beyond standard ice to wear chemical resistant gloves.
Res	piratory protection	conditions of us In accordance tions should be If engineering of tions to a level select respirato cific conditions Check with res Where air-filter priate combina Select a filter s and vapours [T	protection is ordinarily required under normal se. with good industrial hygiene practices, precau- taken to avoid breathing of material. controls do not maintain airborne concentra- which is adequate to protect worker health, ory protection equipment suitable for the spe- of use and meeting relevant legislation. piratory protective equipment suppliers. ing respirators are suitable, select an appro- tion of mask and filter. uitable for combined particulate/organic gases ype A/Type P boiling point > 65°C (149°F)] 387 and EN143.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : Liquid at room temperature.

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Vers 1.6	sion	Revision Date: 30.08.2023		S Number: 010027528	Date of last issue: 07.10.2022 Print Date 17.11.2023
	Colour		:	amber	
	Odour		:	Data not available	e
	Odour 7	Threshold	:	Data not available	e
	pour po	int	:	<= -18 °C Method: ASTM D	97
	Melting	/ freezing point		Data not available	e
	Initial bo range	oiling point and boiling	:	> 280 °Cestimate	ed value(s)
	Flamma	ability			
	Flam	nmability (solid, gas)	:	Not applicable	
	Flam	nmability (liquids)	:	Not classified as	flammable but will burn.
	Lower e	explosion limit and upp	er ex	plosion limit / flam	nmability limit
		per explosion limit / per flammability limit	:	Typical 10 %(V)	
		wer explosion limit / wer flammability limit	:	Typical 1 %(V)	
	Flash p	oint	:	>= 255 °C Method: ASTM D	92 (COC)
	Auto-ig	nition temperature	:	> 320 °C	
		position temperature omposition tempera-	:	Data not available	e
	рН		:	Not applicable	
	Viscosit Visc	ty osity, dynamic	:	Data not available	e
	Visc	osity, kinematic	:	16.3 - 21.9 mm2/ Method: ASTM D	
				212 mm2/s (40.0 Method: ASTM D	
	Solubilit Wate	ty(ies) er solubility	:	negligible	
	Solu	bility in other solvents	:	Data not available	e

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Version 1.6	Revision Date: 30.08.2023	SDS Number:Date of last issue: 07.10.2022800010027528Print Date 17.11.2023	
octar Vapc	tion coefficient: n- nol/water our pressure	 log Pow: > 6 (based on information on similar products) < 0.5 Pa (20 °C) estimated value(s) 	
Relat Dens	tive density ity	 0.891 (15.0 °C) 891 kg/m3 (15.0 °C) Method: ASTM D4052 	
Relat	tive vapour density	: > 5	
	cle characteristics article size	: Data not available	
9.2 Other	information		
Explo	osives	: Classification Code: Not classified	
Oxid	zing properties	: Data not available	
Flam	mability (liquids)	: Not classified as flammable but will burn.	
Evap	oration rate	: Data not available	
Conc	luctivity	: This material is not expected to be a static accumu	lator.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions Hazardous reactions Reacts with strong oxidising agents. 10.4 Conditions to avoid

Extremes of temperature and direct sumight.	Conditions to avoid	:	Extremes of temperature and direct sunlight.
---	---------------------	---	--

10.5 Incompatible materials

Materials to avoid	:	Strong oxidising agents.
--------------------	---	--------------------------

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Version	Revision Date:	SDS Number:
1.6	30.08.2023	800010027528

Date of last issue: 07.10.2022 Print Date 17.11.2023

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of :	Skin and eye contact are the primary routes of exposure alt-
exposure	hough exposure may occur following accidental ingestion.

Product:			
Acute oral toxicity	:	LD50 (rat): > 5,000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not met.	
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.	
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not met.	
Skin corrosion/irritation			
Product:			
Remarks	:	Slightly irritating to skin. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation			
<u>Product:</u> Remarks	:	Slightly irritating to the eye. Based on available data, the classification criteria are not met.	
Respiratory or skin sensitisation			
Product:			
Remarks	:	For respiratory and skin sensitisation: Not a sensitiser. Based on available data, the classification criteria are not met.	

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Version 1.6	Revision Date: 30.08.2023		DS Number: 00010027528	Date of last issue: 07.10.2022 Print Date 17.11.2023
Ger	m cell mutagenicity			
Pro	duct:			
Ger	notoxicity in vivo	:	Remarks: Non m Based on availab	utagenic le data, the classification criteria are not met.
	m cell mutagenicity- As- sment	:	This product does categories 1A/1B	s not meet the criteria for classification in
Car	cinogenicity			
<u>Pro</u>	duct:			
Ren	narks	:	Not a carcinogen Based on availab	le data, the classification criteria are not met.
Ren	narks	:	carcinogenic in a Highly refined mir	mineral oils of types shown to be non- nimal skin-painting studies. neral oils are not classified as carcinogenic al Agency for Research on Cancer (IARC).
Car mer	cinogenicity - Assess- nt	:	This product does categories 1A/1B	s not meet the criteria for classification in

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

Reproductive toxicity

Product:		
Effects on fertility	:	Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.
Reproductive toxicity - As- sessment	:	This product does not meet the criteria for classification in categories 1A/1B.
STOT - single exposure		
<u>Product:</u> Remarks	:	Based on available data, the classification criteria are not met.
STOT - repeated exposure		
<u>Product:</u> Remarks	:	Based on available data, the classification criteria are not met.

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Version	Revision Date:	SDS Number:
1.6	30.08.2023	800010027528

Date of last issue: 07.10.2022 Print Date 17.11.2023

Aspiration toxicity

Product:

Not an aspiration hazard., Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product: Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Further information		
<u>Product:</u> Remarks	:	Used oils may contain harmful impurities that have accumu- lated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal. ALL used oil should be handled with caution and skin contact avoided as far as possible.
Remarks	:	Continuous contact with used engine oils has caused skin cancer in animal tests.
Remarks	:	Slightly irritating to respiratory system.
Remarks	:	Classifications by other authorities under varying regulatory frameworks may exist.
Remarks	:	Unless indicated otherwise, the data presented is representa- tive of the product as a whole, rather than for individual com- ponent(s).

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: Based on available data, the classification criteria are not met.

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Vers 1.6	ion	Revision Date: 30.08.2023		DS Number: 0010027528	Date of last issue: 07.10.2022 Print Date 17.11.2023		
				Practically non toxi LL/EL/IL50 > 100			
	Toxicity to algae/aquatic plants		:	 Remarks: Based on available data, the classification criteria ar met. Practically non toxic: LL/EL/IL50 > 100 mg/l 			
	Toxicity icity)	y to fish (Chronic tox-	:	Remarks: Based on met.	available data, the classification criteria are not		
		y to daphnia and other invertebrates (Chron- ity)	:	Remarks: Based on met.	available data, the classification criteria are not		
	Toxicity	y to microorganisms	:	Remarks: Based on met.	available data, the classification criteria are not		
12.2	Persis	tence and degradabil	ity				
	Produc	<u>ct:</u>					
	Biodegradability		:	ponents that may persistent per IMO International Oil Po "A non-persistent of of hydrocarbon frac distills at a tempera which, by volume,	are inherently biodegradable, but contains com- ersist in the environment.		
12.3	Bioaco	cumulative potential					
	Produc Bioacc	<u>et:</u> umulation	:	Remarks: Contains	components with the potential to bioaccumulate.		
12.4	Mobili	ty in soil					
	Produc	<u>ot:</u>					
	Mobility	/	:		under most environmental conditions., If it adsorb to soil particles and will not be mo-		
				Remarks: Floats	on water.		

12.5 Results of PBT and vPvB assessment

Product:

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Versio 1.6	on	Revision Date: 30.08.2023		DS Number: 0010027528	Date of last issue: 07.10.2022 Print Date 17.11.2023		
A	Assessr	nent	:	This mixture does not contain any REACH registered sub- stances that are assessed to be a PBT or a vPvB			
12.6 E	Endocr	ine disrupting prope	ertie	S			
	Product Assessr		:	have endocrine dist 57(f) or Commission	ture does not contain components considered to rupting properties according to REACH Article on Delegated regulation (EU) 2017/2100 or ation (EU) 2018/605 at levels of 0.1% or higher.		
12.7 O	Other a	dverse effects					
A	Product: Additional ecological infor- mation		:	tion potential or glo Product is a mixtur	ne depletion potential, photochemical ozone crea- obal warming potential. e of non-volatile components, which will not be by significant quantities under normal conditions		
				Poorly soluble mixed Causes physical for	ture. Iling of aquatic organisms.		
					herwise, the data presented is representative of ole, rather than for individual component(s).		
				Mineral oil does no concentrations less	t cause chronic toxicity to aquatic organisms at than 1 mg/l.		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

: Recover or recycle if possible.

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations.
 Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Do not dispose into the environment, in drains or in water courses.
 Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination.
 Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand.

MARPOL - see International Convention for the Prevention of

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Version 1.6	Revision Date: 30.08.2023	SDS Number:Date of last issue: 07.10.2022800010027528Print Date 17.11.2023	
		Pollution from Ships (MARPOL 73/78) which provide nical aspects at controlling pollutions from ships.	s tech-
Contaminated packaging		: Dispose in accordance with prevailing regulations, put to a recognized collector or contractor. The compete the collector or contractor should be established befor Disposal should be in accordance with applicable regulational, and local laws and regulations.	ence of orehand.
Local	legislation		
Wast	e catalogue	: EU Waste Disposal Code (EWC):	
Wast	e Code	: 13 02 05*	
Rema	arks	: Classification of waste is always the responsibility of user.	the end
		Disposal should be in accordance with applicable real national, and local laws and regulations.	gional,

SECTION 14: Transport information

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.4 Packing group		

14.1 UN number or ID number

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Version 1.6	Revision Date: 30.08.2023		DS Number: 00010027528	Date of last issue: 07.10.2022 Print Date 17.11.2023
ADR		:	Not regulated as	a dangerous good
RID		:	Not regulated as	a dangerous good
IMDG IATA		:		a dangerous good a dangerous good
14.5 Environmental hazards				
ADR		:	Not regulated as	a dangerous good
RID		:	Not regulated as	a dangerous good
IMDG		:	Not regulated as	a dangerous good
14.6 Special precautions for user		er		
Remai	rks	:	for special precau	ns: Refer to Section 7, Handling & Storage, utions which a user needs to be aware of or with in connection with transport.

14.7 Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Product is not subject to Authorisa- tion under REACH.

Volatile organic compounds : Volatile organic compounds (VOC) content: 0 %

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Environmental Protection Act 1990 (as amended). Health and Safety at Work etc. Act 1974. Consumers Protection Act 1987. Pollution Prevention and Control Act 1999. Environment Act 1995. Factories Act 1961. The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011. Chemicals (Hazard Information and Packaging for Supply) Regulations 2009. Control of Substances Hazardous to Health Regulations 2002 (as amended). Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997. Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995 (as amended). Personal Protective Equipment Regulations 2002. Personal Protective Equipment at Work Regulations 1992. Hazardous Waste (England and Wales) Regulations 2005(as

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Version	Revision Date:	SDS Number:	Date of last issue: 07.10.2022
1.6	30.08.2023	800010027528	Print Date 17.11.2023

amended). Control of Major Accident Hazards Regulations 1999 (as amended). Renewable Transport Fuel Obligations Order 2007 (as amended). Energy Act 2011. Environmental Permitting (England and Wales) Regulations 2010 (as amended). Waste (England and Wales) Regulations 2011 (as amended). Planning (Hazardous Substances) Act 1990 and associated regulations. The Environmental Protection (Controls on Ozone-Depleting Substances) Regulations 2011.

The components of this product are reported in the following inventories:

EINECS	: All components listed.
TSCA	: All components listed.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

L		Λ	1	0
Г	P	4	1	J

May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Aquatic Chronic	:	Long-term (chronic) aquatic hazard
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	:	8-hour, time-weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Oil W 100 Plus

Version	Revision Date:	SDS Number:	Date of last issue: 07.10.2022
1.6	30.08.2023	800010027528	Print Date 17.11.2023

Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Training advice	:	Provide adequate information, instruction and training for op- erators.
Other information :		No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous sub- stances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS. A vertical bar () in the left margin indicates an amendment from the previous version.
Sources of key data used to compile the Safety Data Sheet	:	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN